

Forensic Analysis

The Treachery of Images

Alexandre Dulaunoy

a@foo.be

February 16, 2018

Gangster Story

- ▶ Moral of the story : "learning forensic analysis is useful even for gangster".
- ▶ Forensic Analysis can help to discover any media sanitization defect.

A story from the other side...

Nagra SNST Recorder (gathered by Matt Blaze)



- ▶ An audio recorder (including a tape) purchased via eBay.
- ▶ But the tape contains an evidence recording of a confidential informant.
- ▶ http://www.crypto.com/blog/watching_the_watchers_via_ebay/.

Forensic Analysis - Theory - Methodology

- ▶ Acquire the evidence without altering or modifying the original source.
- ▶ Authenticate that you gathered the evidence in a proper way.
- ▶ Analyze the non-original collected data without modifying it.

Forensic Analysis - Theory - Methodology

- ▶ Act always in ways that you can easily explain to a court.
- ▶ Think twice before doing any action on the collected data.
- ▶ Take notes of everything not only the action taken but also any discoveries.

Forensic Analysis - Theory - The Order of Volatility (OOV)

The expected life of data :

Type of Data	Life Span
Registers or cache	Nanoseconds
Main Memory	Ten Nanoseconds
Network State	Milliseconds
Running Processes	Seconds
Disk	Minutes
Backup Medias	Years
CD-ROMS or printouts	Tens of years

Sometimes a small process trace can explain more than 50 gigabytes of a single backup...

Forensic Analysis - Theory - Layer(s)

- ▶ A computer system is a machine playing with the "treachery of images".
- ▶ An operation is often using one or more abstraction to be completed.
- ▶ The top-down approach of information from high-meaning to low-meaning is critical for forensic analysis.
- ▶ Computers become more and more mature but become less predictable at the row level.

Forensic Analysis - Theory - Layer(s) - The File System case

The file system is a great source of forensic information but :

- ▶ Forensic data must captured at the right layer. (e.g. using the tool of the file system is useful but not enough)
- ▶ Be prepare to collect partial information.
- ▶ File system analysis is often the next step after a detection. (e.g. from the network)
- ▶ File system analysis can be time consuming.

Forensic Analysis - General Practice

- ▶ First rule : Stay calm.
- ▶ Second rule : Limit risk but keep OOV in mind.
- ▶ Third rule : Never work on real data.

Forensic Analysis and Incident Response

- ▶ (Prevention)
- ▶ Detection
- ▶ Analysis
- ▶ Containment
- ▶ Investigation
- ▶ Eradication
- ▶ Postmortem

Forensic Analysis and Training

- ▶ The best way to be prepared for doing forensic analysis. It's to do it regularly.
- ▶ Participate to the reverse challenge of the honeynet project.
- ▶ Collect old filesystem and try to understand the last actions executed on the system.
- ▶ Prepare your legal staff to forensic analysis.

File System Analysis

File System Analysis can be used for

- ▶ Analysis the activities of an attacker on the honeypot file system.
- ▶ Analysis of a malware leaving traces on the file system.
- ▶ Analysis of a compromised system to recover legitimate and malicious activities.
- ▶ Recovering lost files or data on a file system.
- ▶ Correlating and validating memory or network analysis with the file system activities.

File System Analysis - Time is critical

Don't forget the following points:

- ▶ Timestamps stored on a system are not always in the same format (e.g. some might be in UTC, GMT or in system-local time).
- ▶ Timestamps can be also in different format (e.g. Epoch timestamp in 32-bit or 64-bit, NTFS 64-bit timestamp).
- ▶ Timezone and time are also important on your analysis workstation (e.g. don't mixup your timezone and the analysis timezone).
- ▶ Summer time and winter time are not the same in various timezones.
- ▶ GMT and UTC are not the same.
- ▶ Don't forget to take note of all the time, time zone or time references given during an acquisition.

File System Analysis - Format?

- ▶ ntfs (NTFS)
- ▶ fat (FAT (Auto Detection))
- ▶ ext (ExtX (Auto Detection))
- ▶ iso9660 (ISO9660 CD)
- ▶ hfs (HFS+)
- ▶ ufs (UFS (Auto Detection))
- ▶ raw (Raw Data)
- ▶ swap (Swap Space)
- ▶ fat12 (FAT12)
- ▶ fat16 (FAT16)
- ▶ fat32 (FAT32)
- ▶ ext2 (Ext2)
- ▶ ext3 (Ext3)
- ▶ ufs1 (UFS1)

File System Analysis - Interface, Support and Acquisition

- ▶ SATA, IDE, USB 3.0/2.0/1.1, SAS, and FireWire (1394A/B).
- ▶ Acquisition in software or hardware?
- ▶ Support of the acquisition to another equivalent disk?
- ▶ Can we trust the acquisition process¹?
- ▶ How long it will take?

¹http:

//events.ccc.de/congress/2012/Fahrplan/events/5327.en.html

Prototyping Active Disk Antiforensics

Acquisition with a write-blocker

- ▶ `hdparm -I /dev/raw_disk`
- ▶ `dd` versus `dcfldd` versus `dc3dd`
- ▶ monitoring disk acquired, splitting evidences and hashing
- ▶ storing evidences using `squashfs`

File System Analysis - Tools

Many proprietary and free software tools exist for file system analysis. In this lab, we will use sleuthkit² as a basis.

- ▶ Sleuthkit is including TCT (the coroner toolkit) but evolved overtime to support more file system and new tools.
- ▶ Sleuthkit got a GUI companion called Autopsy.
- ▶ Sleuthkit is able to analyze a lot of file system format from raw acquisition.
- ▶ Sleuthkit supports the extraction of metadata and timeline from supported file system in a non intrusive way.

²<http://www.sleuthkit.org/>

From raw to file systems

Extracting partition information:

```
mmls /home/adulau/dess/disk-image/raw.dd.raw
DOS Partition Table
Offset Sector: 0
Units are in 512-byte sectors
```

	Slot	Start	End	Length	Description
00:	Meta	0000000000	0000000000	0000000001	Primary Table (#0)
01:	-----	0000000000	0000000096	0000000097	Unallocated
02:	00:00	0000000097	0000250879	0000250783	DOS FAT16 (0x06)

Extracting the BOOT sector:

```
dd if=/home/adulau/dess/disk-image/raw.dd.raw seek=0 count=97 bs=512 of=/tmp/boot
```

File System Analyses - SleuthKit - fls

fls lists file and directory names in a disk image.

```
fls -lr -o 97 /home/adulau/dess/disk-image/raw.dd.raw  
/usr/local/bin/fls -r -p fat-test.dd
```

As this is the representation of the file system, you can dump/recover files based on their inode reference

```
/usr/local/bin/icat fat-test.dd 965
```

○○○○○○○○○○○○○○○○○○○○○○○○○○○○●○○○

Theory

```

fls -lr -m / -o 97 /home/adulau/dess/disk-image/raw.dd.raw | mactime -b -
Thu Jan 01 1970 01:00:00 3541836 .c. r/rrwxrwxrwx 0 0 1029 /DCIM/111
                        2255115 .c. r/rrwxrwxrwx 0 0 1030 /DCIM/111
                        884 .c. r/rrwxrwxrwx 0 0 183301 /DCIM/CANON_DCIM
                        0 .cb r/rrwxrwxrwx 0 0 3 /CANON_DCIM
(Volume Label Entry)
                        16384 .c. d/drwxrwxrwx 0 0 4 /DCIM
                        16384 .c. d/drwxrwxrwx 0 0 517 /DCIM/111
                        16384 .c. d/drwxrwxrwx 0 0 518 /DCIM/CANON_DCIM
Sun Jun 02 2013 00:00:00 3541836 .a. r/rrwxrwxrwx 0 0 1029 /DCIM/111
                        2255115 .a. r/rrwxrwxrwx 0 0 1030 /DCIM/111
                        884 .a. r/rrwxrwxrwx 0 0 183301 /DCIM/CANON_DCIM
                        0 .a. r/rrwxrwxrwx 0 0 3 /CANON_DCIM
(Volume Label Entry)
                        16384 .a. d/drwxrwxrwx 0 0 4 /DCIM
                        16384 .a. d/drwxrwxrwx 0 0 517 /DCIM/111
                        16384 .a. d/drwxrwxrwx 0 0 518 /DCIM/CANON_DCIM
Sun Jun 02 2013 15:42:32 3541836 m.b r/rrwxrwxrwx 0 0 1029 /DCIM/111
                        16384 m.b d/drwxrwxrwx 0 0 4 /DCIM
                        16384 m.b d/drwxrwxrwx 0 0 517 /DCIM/111
Sun Jun 02 2013 15:42:46 2255115 m.b r/rrwxrwxrwx 0 0 1030 /DCIM/111
Sun Jun 02 2013 15:44:08 884 m.b r/rrwxrwxrwx 0 0 183301 /DCIM/CANON_DCIM
                        16384 m.b d/drwxrwxrwx 0 0 518 /DCIM/CANON_DCIM
Sun Jun 02 2013 16:33:04 0 m... r/rrwxrwxrwx 0 0 3 /CANON_DCIM
(Volume Label Entry)

```

SleuthKit - fls - mactime

Usually in forensic analysis, you'll need to have a time line sorted for all the events on a file system. SleuthKit provides a tool called mactime allowing to use fls output to generate a time line.

```
/usr/local/bin/fls -mr fat-test.dd  
| /usr/local/bin/mactime -b -
```


SleuthKit - fls - mactime output

Mactime output and file system interpretation:

fs	m	a	c	b
EXT2/3	Modified	Accessed	Changed	N/A
FAT	Written	Accessed	N/A	Created
NTFS	File Modified	Accessed	MFT Modified	Created
UFS	Modified	Accessed	Changed	N/A

Mactime is doing an interpretation of the fls output. It might be missing some additional timestamp from some file system format (e.g. the deleted timestamp in Ext2/3). Extended time or values can usually be check with "istat".

SleuthKit - Autopsy Forensic Browser

Autopsy Forensic Browser³ is a web interface to the SleuthKit toolsuite and provide an easy way to handle forensic analysis. Take the existing image and test it with Autopsy.

³<http://www.sleuthkit.org/autopsy/index.php>

Bibliography

- ▶ Forensic Discovery, Dan Farmer, Wietse Venema, Addison Wesley ω
- ▶ Incident Response, Kenneth R. Van Wyk, O'Reilly
- ▶ Computer Forensics, Incident Response Essentials, Warren G. Kruse, Addison Wesley
- ▶ File System Forensic Analysis, Brian Carrier, Addison Wesley
- ▶ Mechanisms, New Media and the Forensic Imagination, Matthew G. Kirschenbaum, The MIT press ω

Use case 1

- ▶ You have a public web server, hosted in a datacenter, that has been compromised (the main page has been defaced).
- ▶ The public web server also contains private information from the customer (mainly login and password).
- ▶ What should I do ?

Use case 2

- ▶ A laptop from a potential hostile employee has been given to you for analysis.
- ▶ What should I do ?

Use case 3

- ▶ You discovered a enterprise server with a proprietary software installed and doing unusual network connection to Internet.
- ▶ How forensic analysis could help me ?

Use case 4

- ▶ An employee gave you a flashcard where he would like to recover documents deleted ?
- ▶ How you would proceed ?

Q and A

- ▶ Thanks for listening.
- ▶ a@foo.be